



SAFETY DATA SHEET
Sodium Hydroxide 50% Solution

SDS # : 1310-73-2--50
Revision date: 2017-09-26
Format: NA
Version 1.04

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name Sodium Hydroxide 50% Solution

Other means of identification

Product Code(s) 1310-73-2--50

Synonyms Caustic Soda Solution; Lye Solution; Sodium Hydrate Solution,
White Caustic Solution

Recommended use of the chemical and restrictions on use

Recommended Use: pH adjustment

Restrictions on Use: See section 16 for more information

Manufacturer Address

Genesis Specialty Alkali, LLC
1735 Market Street
Philadelphia, PA 19103
Tel: +1 877 / 362-2248 or +1 215 / 845-4500
www.alkali.genesisenergy.com

Emergency telephone number

1 307 / 872 2452 (Plant - Green River, WY)
1 (303) 595-9048 (Medical - U.S. - Call Collect)

For leak, fire, spill or accident emergencies, call:
1 800 / 424 9300 (CHEMTREC - U.S.A.)
1 703 / 527 3887 (CHEMTREC - Collect - All Other Countries)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation

Category 1 Sub-category A

Sodium Hydroxide 50% Solution

SDS #: 1310-73-2--50
Revision date: 2017-09-26
Version 1.04


Serious eye damage/eye irritation	Category 1
Corrosive to Metals	Category 1

GHS Label elements, including precautionary statements

EMERGENCY OVERVIEW

Danger

Hazard Statements
H314 - Causes severe skin burns and eye damage
H290 - May be corrosive to metals



Precautionary Statements - Prevention

- P264 - Wash face, hands and any exposed skin thoroughly after handling
- P260 - Do not breathe dust/fume/gas/mist/vapors/spray
- P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection

Precautionary Statements - Response

- P310 - Immediately call a POISON CENTER or doctor/ physician
- P390 - Absorb spillage to prevent material damage
- P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower
- P363 - Wash contaminated clothing before reuse
- P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
- P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

Precautionary Statements - Storage

- P405 - Store locked up
- P406 - Store in corrosive resistant/ stainless steel container with a resistant inner liner

Precautionary Statements - Disposal

- P501 - Dispose of contents/ container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula NaOH

Chemical name	CAS-No	Weight %
Sodium Hydroxide	1310-73-2	50
Water	7732-18-5	50

Synonyms are provided in Section 1.

4. FIRST AID MEASURES

Sodium Hydroxide 50% Solution

SDS #: 1310-73-2--50
Revision date: 2017-09-26
Version 1.04

General Advice	Flush with plenty of water immediately. Continue flushing during transport to hospital or medical center.
Eye Contact	In case of contact with substance, immediately flush skin or eyes with running water for at least 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Seek immediate medical attention/advice.
Skin Contact	Immediately flush with plenty of water while removing contaminated clothing and/or shoes, and thoroughly wash with soap and water. Seek immediate medical attention/advice.
Inhalation	Remove person to fresh air. If signs/symptoms continue, get medical attention.
Ingestion	Rinse mouth with water and afterwards drink plenty of water or milk. Do not induce vomiting or give anything by mouth to an unconscious person. Call a physician immediately.
Most important symptoms and effects, both acute and delayed	None known.
Indication of immediate medical attention and special treatment needed, if necessary	Sodium hydroxide at this concentration is corrosive. Prolonged dilution with water is required. Neutralization of eye burns is absolutely contraindicated; for skin, 2% acetic acid has been recommended, but washing with water is effective. Ingestion requires milk or water dilution, consideration of esphagoscopy and management for possible esophageal stricture.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Specific Hazards Arising from the Chemical	. Not flammable
<u>Explosion data</u>	
Sensitivity to Mechanical Impact	Not sensitive.
Sensitivity to Static Discharge	Not sensitive.
Protective equipment and precautions for firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	In case of spill, avoid contact. Isolate area and keep out animals and unprotected persons. Wear suitable protective clothing, gloves and eye/face protection. For personal protection see section 8.
Other	For further clean-up instructions, call Emergency Hotline number listed in Section 1 "Product and Company Identification" above.
Environmental Precautions	See Section 12 for additional Ecological Information.
Methods for Containment	Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
Methods for cleaning up	Clean contaminated surface thoroughly. Dispose of waste as indicated in Section 13.

7. HANDLING AND STORAGE

Sodium Hydroxide 50% Solution

SDS #: 1310-73-2--50
Revision date: 2017-09-26
Version 1.04

Handling	Always wash equipment and containers before use. Dangerous chemical reactions can occur due to improper cleaning. Always add caustic soda to water. Adding water to caustic soda can cause a dangerous reaction. Ensure that water being used for dilution is lukewarm. Never dilute caustic with hot or cold water. Avoid contact with skin and eyes. Do not breathe vapors or spray mist. Avoid contact by using personal protective equipment. Refer to Section 8.
Storage	Keep containers tightly closed in a cool, well-ventilated place. Keep away from incompatible products (acids).
Incompatible products	Acids, flammable liquids, organic halogen compounds, nitro compounds, and amphoteric metals, such as aluminum, magnesium and zinc

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Ingredients with workplace control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
Sodium Hydroxide 1310-73-2	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³	IDLH: 10 mg/m ³ Ceiling: 2 mg/m ³	Mexico: Ceiling 2 mg/m ³
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Sodium Hydroxide 1310-73-2	Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³	CEV: 2 mg/m ³	Ceiling: 2 mg/m ³

Appropriate engineering controls

Engineering measures Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

Eye/Face Protection	Use chemical splash-type mono-goggles and a full-face shield made of polycarbonate, acetate, polycarbonate/acetate, PETG or thermoplastic.
Skin and Body Protection	Rubber or vinyl apron. Rubber or plastic boots.
Hand Protection	Rubber or vinyl gloves with gauntlets. Wash the outside of gloves with soap and water prior to removal. Inspect regularly for leaks.
Respiratory Protection	Wear full face-piece respirators approved by MSHA/NIOSH if mists are expected.
Hygiene measures	Avoid contact with skin, eyes and clothing. Avoid breathing vapors, mist or gas. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing and gloves, including the inside, before re-use.
General information	If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Clear to cloudy white, odorless liquid
Physical State	Liquid
Color	No information available
Odor	odorless
Odor threshold	No information available
pH	13.7
Melting point/freezing point	Not applicable

Sodium Hydroxide 50% Solution

SDS #: 1310-73-2--50
Revision date: 2017-09-26
Version 1.04

Boiling Point/Range	145 °C / 293 °F
Flash point	Not applicable
Evaporation Rate	No information available
Flammability (solid, gas)	No information available
Flammability Limit in Air	
Upper flammability limit:	No information available
Lower flammability limit:	No information available
Vapor pressure	6.33 mm Hg @ 40 °C
Vapor density	No information available
Density	No information available
Specific gravity	1.53 @ 15.5 °C
Water solubility	completely soluble
Solubility in other solvents	No information available
Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Viscosity, kinematic	No information available
Viscosity, dynamic	No information available
Explosive properties	No information available
Oxidizing properties	Non-oxidizing
Molecular weight	No information available
Bulk density	No information available

10. STABILITY AND REACTIVITY

Reactivity	Not applicable
Chemical Stability	Stable under normal conditions.
Possibility of Hazardous Reactions	Reacts with many compounds.
Hazardous polymerization	Hazardous polymerization does not occur.
Conditions to avoid	Excessive heat, Incompatible products
Incompatible materials	Acids, flammable liquids, organic halogen compounds, nitro compounds, and amphoteric metals, such as aluminum, magnesium and zinc.
Hazardous Decomposition Products	None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Product Information

Serious eye damage/eye irritation	Corneal lesions and irreversible damage if contact with the eyes.
Skin corrosion/irritation	Corrosive to skin.

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium Hydroxide (1310-73-2)	400 mg/kg (rabbit) (37% solution)	= 1350 mg/kg (Rabbit)	Corrosive

Information on toxicological effects

Symptoms	No information available.
----------	---------------------------

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic toxicity	Sodium hydroxide may produce inflammation of the eyes, skin, and mucous membranes. Esophageal carcinoma at the site of a chronic lye stricture has been reported. [Gosselin, Smith & Hodge 1984].
------------------	---

Sodium Hydroxide 50% Solution

SDS #: 1310-73-2--50
Revision date: 2017-09-26
Version 1.04

Mutagenicity No information available
Carcinogenicity Not recognized as carcinogenic by Research Agencies (IARC, NTP, OSHA, ACGIH).
Reproductive toxicity No information available.
STOT - single exposure No information available.
STOT - repeated exposure No information available.
Aspiration hazard No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Sodium Hydroxide 1310-73-2		96 h LC50: = 45.4 mg/L (<i>Oncorhynchus mykiss</i>)	

Persistence and degradability There is no degradation of sodium hydroxide in waters, only loss by absorption or through chemical neutralization.

Bioaccumulation No information available.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261). It must undergo special treatment, e.g. at suitable disposal site, to comply with local regulations. Can be disposed as waste water, when in compliance with local regulations.

Contaminated Packaging Dispose of in accordance with local regulations.

Chemical name	California Hazardous Waste Status
Sodium Hydroxide 1310-73-2	Toxic Corrosive

14. TRANSPORT INFORMATION

DOT

UN/ID no UN1824
Proper Shipping Name Sodium hydroxide solution
Hazard class 8
Packing Group II
Reportable Quantity (RQ) Sodium hydroxide: RQ = 1000 lbs.
Special Provisions B2, IB2, N34, T7, TP2
Emergency Response Guide Number 154

TDG

UN/ID no UN1824
Proper Shipping Name Sodium hydroxide solution
Hazard class 8
Packing Group II

ICAO/IATA

UN/ID no UN1824
Proper Shipping Name Sodium hydroxide solution
Hazard class 8
Packing Group II
Special Provisions A3
Limited quantity 0.5 L

IMDG/IMO

UN/ID no UN1824

Sodium Hydroxide 50% Solution

SDS # : 1310-73-2--50
Revision date: 2017-09-26
Version 1.04

Proper Shipping Name Sodium hydroxide solution
Hazard class 8
Packing Group II
EmS No. F-A, S-B

ADR/RID

UN/ID no UN1824
Proper Shipping Name Sodium hydroxide solution
Hazard class 8
Packing Group II
Classification code C5
Tunnel restriction code (E)
ADR/RID-Labels 8

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic health hazard No
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium Hydroxide 1310-73-2	1000 lb			X

CERCLA

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Sodium Hydroxide 1310-73-2	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Sodium Hydroxide 1310-73-2	X	X	X

International Inventories

Sodium Hydroxide 50% Solution

SDS #: 1310-73-2--50
 Revision date: 2017-09-26
 Version 1.04

Component	TSCA (United States)	DSL (Canada)	EINECS/ELI NCS (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Sodium Hydroxide 1310-73-2 (50)	X	X	X	X	X	X	X	X
Water 7732-18-5 (50)	X	X	X		X	X	X	X

Chemical name	Carcinogen Status	Mexico
Sodium Hydroxide		Mexico: Ceiling 2 mg/m ³

WHMIS Statement

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class D2B - Toxic materials
 E - Corrosive material



16. OTHER INFORMATION

NFPA	Health Hazards 3	Flammability 0	Instability 0	Special Hazards -
HMIS	Health Hazards 3	Flammability 0	Physical hazard 0	Personal Protection J

NFPA/HMIS Ratings Legend Severe = 4; Serious = 3; Moderate = 2; Slight = 1; Minimal = 0

Product Certifications

This product meets the chemical testing specifications defined in the Food Chemicals Codex (FCC), 9th Edition, but is not manufactured under cGMP's.

This product is certified to NSF/ANSI Standard 60 for use in drinking water treatment at the specified maximum use limit. The MUL (maximum use level) for caustic soda is 200 mg/L under NSF/ANSI Standard 60.



Revision date: 2017-09-26
Revision note Updated with new company name

Disclaimer

Genesis Alkali, LLC believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. **NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN.** The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Further, since the conditions and methods of use are beyond the control of Genesis Alkali, LL;, Genesis Alkali, LLC expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

Genesis Alkali, LLC
 Genesis Logo - Trademark of Genesis Alkali, LLC
 © 2017 Genesis Alkali, LLC. All Rights Reserved.
End of Safety Data Sheet